

CITY OF BROOK PARK, OHIO

W/C 6-4-24 Service  
CA 6-11-24  
1st R 6-18-24  
2nd R \_\_\_\_\_  
3rd R \_\_\_\_\_  
B/C \_\_\_\_\_

ORDINANCE NO. 11425-2024

INTRODUCED BY: MAYOR ORCUTT

**AN ORDINANCE AMENDING ORDINANCE 11390-2024  
TO INCLUDE BURTON DRIVE, CLAUDIA DRIVE, ROBERT DRIVE FROM  
SYLVIA TO CYNTHIA, CAROL DRIVE, FRY ROAD FROM SNOW TO HUMMEL  
AND REMORA BOULEVARD TO THE GENERAL PAVEMENT SERVICES  
PROGRAM AND DECLARING AN EMERGENCY**


NOW THEREFORE, BE IT ORDAINED by the Council of the City of Brook Park, State of Ohio, that:

**SECTION 1:** The 2024 Equipment and General Pavement Services Program shall be amended to include: Burton Drive, Claudia Drive, Robert Drive from Sylvia to Cynthia, Carol Drive, Fry Road from Snow to Hummel and Remora Boulevard.

**SECTION 2:** The money needed for the aforesaid transaction shall be paid from the General Fund No. 551, 2024 Street Improvements Fund; theretofore appropriated for said purpose.

**SECTION 3:** It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

**SECTION 4:** This Ordinance is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health, safety of said City, and for the further reason that City Council deems it necessary to amend the 2024 Equipment and General Pavement Services Program to include Burton Drive, Claudia Drive, Robert Drive from Sylvia to Cynthia, Carol Drive, Fry Road from Snow to Hummel and Remora Boulevard, therefore, provided this Ordinance receives the affirmative vote of at least five (5) members elected to Council, it shall take effect and be in force immediately from and after its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.



PASSED: June 18, 2024

[Signature]  
PRESIDENT OF COUNCIL

ATTEST: [Signature]  
CLERK OF COUNCIL

APPROVED: [Signature]  
MAYOR  
6-18-24  
DATE

CERTIFICATE

Carol Johnson, Clerk of Council, of the City of Brook Park, Ohio, do hereby certify that the foregoing is a true and accurate copy of Ordinance / Resolution

No. 11425-2024

passed on the 18 day of June

20 24, by said council.

[Signature]  
Clerk of Council

	Yea	Nay
Troyer	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mencini	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roberts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Scott	<input checked="" type="checkbox"/>	<input type="checkbox"/>
McCorkle	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Poindexter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dufour	<input checked="" type="checkbox"/>	<input type="checkbox"/>

I HEREBY APPROVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNESS.

[Signature]  
DIRECTOR OF LAW

CITY OF BROOK PARK  
2024 ROADS PROGRAM  
(COST ESTIMATES)



<b>1 <u>Misc. Joint Repairs - Sylvia (Glenway to Holland)- (Fund 551)</u></b>	<b>\$ 100,000.00</b>
<b>2 <u>2024 Sidewalk Program (Fund 243)</u></b>	<b>\$ 15,000.00</b>
<b>3 <u>Asphalt Resurfacing (Fund 240 - \$300,000 and Fund 551 - \$1,439,775.04)</u></b>	<b>\$ 1,739,775.04</b>
<ul style="list-style-type: none"> <li>• Delores (Sylvia to Birchcroft)</li> <li>• Robert (North of Snow)</li> <li>• Doris</li> <li>• Park (Elmdale to Middlebrook)</li> </ul> <hr style="border: 0.5px solid black;"/> <ul style="list-style-type: none"> <li>• Saylor</li> <li>• Burton</li> <li>• Claudia</li> <li>• Robert (Sylvia to Cynthia)</li> <li>• Carol</li> <li>• Fry (Snow to Hummel)</li> <li>• Remora</li> </ul>	
<b>4 <u>Asphalt Resurfacing Inspector (Fund 551)</u></b>	<b>\$ 5,000.00</b>
<b>5 <u>Sheldon Road Resurfacing Project (Engle Road to Smith Road) (Fund 551)</u></b>	<b>\$ 222,925.81</b>
Construction and Contingency	\$ 191,757.35
Design	\$ 15,606.24
Construction Inspection/Engineering	\$ 15,562.22
Total Project Cost	<b>\$ 2,153,590.00</b>
<b>6 Snow Road Preventative Maintenance (Fund 551)</b>	<b>\$ 239,000.00</b>
<b>7 Holland (Engle - Eastland) Joint Repair Project (Reimbursement \$250,000) (Fund 551)</b>	<b>\$ 700,000.00</b>
<b>8 Road Striping (Fund 241 - \$32,856.50 and Fund 242 - \$13,554.75)</b>	<b>\$ 46,411.25</b>
<b>9 Recreation Center Parking Lot (Fund 401)</b>	<b>\$ 380,563.26</b>
<b>10 Engineering for Wengler and Municipal Campus Retention Basin (Fund 459)</b>	<b>\$ 200,000.00</b>
<b>11 Snow Road Underpass Island Repair (Fund 240)</b>	<b>\$ 20,000.00</b>
<b>Estimated Total =</b>	<b>\$ 3,668,675.36</b>

# PROPOSAL



## CROSSROADS ASPHALT RECYCLING, INC

13421 HAWKE ROAD  
 COLUMBIA STATION, OHIO 44028  
 Phone: 440-236-5066  
 Fax: 440-236-3506

<u>Quote To:</u>	City of Brook Park	<u>Job Name:</u>	Burton Drive - Sheldon to Christene
<u>Attention:</u>	Mr. Brian Beyer		3" Mill, Chip, Pave
			Alternate Full Depth Repairs
<u>Email:</u>	bbeyer@cityofbrookpark.com	<u>Date:</u>	5/10/2024
		<u>Proposal:</u>	2411042

City of Brook Park  
 2024 General Pavement Services

ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
10	Labor/Equipment/Trucking needed to Mill & Pave	1.00	HRLY	53,875.00	53,875.00
20	Single Chip Seal	2,945.00	SY	2.29	6,744.05
30	Asphalt Intermediate Course	130.00	CY	159.00	20,670.00
40	Asphalt Surface Course	130.00	CY	169.00	21,970.00
50	Tack Coat	180.00	GAL	3.80	684.00
60	ALT- Partial Depth Repair (Labor/Equipment/Trucks)		LF		
70	ALT- Partial Depth Asphalt Material		CY		
80	ALT- Full Depth Repair (Labor/Equipment/Trucks)	1.00	HRLY	29,250.00	29,250.00
90	ALT- Full Depth Asphalt Material	75.00	CY	138.00	10,350.00
<b>GRAND TOTAL</b>					<b>\$143,543.05</b>

**NOTES:**

- \*This proposal is a unit price bid.
- \*Final field measurements and hours will prevail on unit pricing listed above for final billing.
- \*All signage, barricades and traffic control by included.

**SCOPE OF WORK-**

- \*Mill the existing asphalt/concrete pavement to a depth of 3.0" and remove from site.
- \*Sweep clean free of all dust and debris.
- \*Determine partial depth or full depth repairs.
- \*Install single chip seal.
- \*Install ODOT #448-2 intermediate asphalt to a compacted thickness of 1.50"
- \*Apply ODOT #407 tack coat at a rate of .10 gal/sy.
- \*Install ODOT #448-1 surface asphalt to a compacted thickness of 1.50"
- \*Gutter seal all curbs and castings with ODOT Type IV sealer.

\*\*NOTE- All repairs are for estimating purposes only and may increase or decrease based on pavement evaluation after milling, and/or proof roll.

# PROPOSAL



## CROSSROADS ASPHALT RECYCLING, INC

13421 HAWKE ROAD  
 COLUMBIA STATION, OHIO 44028  
**Phone:** 440-236-5066  
**Fax:** 440-236-3506

<u>Quote To:</u>	City of Brook Park	<u>Job Name:</u>	Claudia Drive - Holland-Dead End
<u>Attention:</u>	Mr. Brian Beyer		3" Mill, Chip, Pave
			Alternate Full Depth Repairs
<u>Email:</u>	bbeyer@cityofbrookpark.com	<u>Date:</u>	5/10/2024
		<u>Proposal:</u>	2411044

City of Brook Park  
 2024 General Pavement Services

ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
10	Labor/Equipment/Trucking needed to Mill & Pave	1.00	HRLY	61,875.00	61,875.00
20	Single Chip Seal	3,958.00	SY	2.29	9,063.82
30	Asphalt Intermediate Course	180.00	CY	163.00	29,340.00
40	Asphalt Surface Course	180.00	CY	169.00	30,420.00
50	Tack Coat	200.00	GAL	3.80	760.00
60	ALT- Partial Depth Repair (Labor/Equipment/Trucks)		LF		
70	ALT- Partial Depth Asphalt Material		CY		
80	ALT- Full Depth Repair (Labor/Equipment/Trucks)	1.00	HRLY	37,250.00	37,250.00
90	ALT- Full Depth Asphalt Material	150.00	CY	138.00	20,700.00
<b>GRAND TOTAL</b>					<b>\$189,408.82</b>

**NOTES:**

- \*This proposal is a unit price bid.
- \*Final field measurements and hours will prevail on unit pricing listed above for final billing.
- \*All signage, barricades and traffic control by included.

**SCOPE OF WORK-**

- \*Mill the existing asphalt/concrete pavement to a depth of 3.0" and remove from site.
- \*Sweep clean free of all dust and debris.
- \*Determine partial depth or full depth repairs.
- \*Install single chip seal.
- \*Install ODOT #448-2 intermediate asphalt to a compacted thickness of 1.50"
- \*Apply ODOT #407 tack coat at a rate of .10 gal/sy.
- \*Install ODOT #448-1 surface asphalt to a compacted thickness of 1.50"
- \*Gutter seal all curbs and castings with ODOT Type IV sealer.

\*\*NOTE- All repairs are for estimating purposes only and may increase or decrease based on pavement evaluation after milling, and/or proof roll.

# PROPOSAL



## CROSSROADS ASPHALT RECYCLING, INC

13421 HAWKE ROAD  
 COLUMBIA STATION, OHIO 44028  
 Phone: 440-236-5066  
 Fax: 440-236-3506

<u>Quote To:</u>	City of Brook Park	<u>Job Name:</u>	Robert Drive - Sylvia-Cythia
<u>Attention:</u>	Mr. Brian Beyer		3" Mill, Chip, Pave
			Alternate Full Depth Repairs
<u>Email:</u>	bbeyer@cityofbrookpark.com	<u>Date:</u>	5/10/2024
		<u>Proposal:</u>	2411045

City of Brook Park  
 2024 General Pavement Services

ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
10	Labor/Equipment/Trucking needed to Mill & Pave	1.00	HRLY	61,650.00	61,650.00
20	Single Chip Seal	3,328.00	SY	2.29	7,621.12
30	Asphalt Intermediate Course	150.00	CY	163.00	24,450.00
40	Asphalt Surface Course	150.00	CY	169.00	25,350.00
50	Tack Coat	350.00	GAL	3.80	1,330.00
60	ALT- Partial Depth Repair (Labor/Equipment/Trucks)		LF		
70	ALT- Partial Depth Asphalt Material		CY		
80	ALT- Full Depth Repair (Labor/Equipment/Trucks)	1.00	HRLY	65,550.00	65,550.00
90	ALT- Full Depth Asphalt Material	180.00	CY	138.00	24,840.00
<b>GRAND TOTAL</b>					<b>\$210,791.12</b>

**NOTES:**

- \*This proposal is a unit price bid.
- \*Final field measurements and hours will prevail on unit pricing listed above for final billing.
- \*All signage, barricades and traffic control by included.

**SCOPE OF WORK-**

- \*Mill the existing asphalt/concrete pavement to a depth of 3.0" and remove from site.
- \*Sweep clean free of all dust and debris.
- \*Determine partial depth or full depth repairs.
- \*Install single chip seal.
- \*Install ODOT #448-2 intermediate asphalt to a compacted thickness of 1.50"
- \*Apply ODOT #407 tack coat at a rate of .10 gal/sy.
- \*Install ODOT #448-1 surface asphalt to a compacted thickness of 1.50"
- \*Gutter seal all curbs and castings with ODOT Type IV sealer.

\*\*NOTE- All repairs are for estimating purposes only and may increase or decrease based on pavement evaluation after milling, and/or proof roll.

# PROPOSAL



## CROSSROADS ASPHALT RECYCLING, INC

13421 HAWKE ROAD  
 COLUMBIA STATION, OHIO 44028  
 Phone: 440-236-5066  
 Fax: 440-236-3506

<u>Quote To:</u>	City of Brook Park	<u>Job Name:</u>	Carol Drive - Middlebrook-East Park
<u>Attention:</u>	Mr. Brian Beyer		3" Mill, Chip, Pave
			Alternate Full Depth Repairs
<u>Email:</u>	bbeyer@cityofbrookpark.com	<u>Date:</u>	5/10/2024
		<u>Proposal:</u>	2411047

City of Brook Park  
 2024 General Pavement Services

ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
10	Labor/Equipment/Trucking needed to Mill & Pave	1.00	HRLY	71,675.00	71,675.00
20	Single Chip Seal	4,945.00	SY	2.29	11,324.05
30	Asphalt Intermediate Course	215.00	CY	163.00	35,045.00
40	Asphalt Surface Course	215.00	CY	169.00	36,335.00
50	Tack Coat	500.00	GAL	3.80	1,900.00
60	ALT- Partial Depth Repair (Labor/Equipment/Trucks)		LF		
70	ALT- Partial Depth Asphalt Material		CY		
80	ALT- Full Depth Repair (Labor/Equipment/Trucks)	1.00	HRLY	37,250.00	37,250.00
90	ALT- Full Depth Asphalt Material	150.00	CY	138.00	20,700.00
<b>GRAND TOTAL</b>					<b>\$214,229.05</b>

**NOTES:**

- \*This proposal is a unit price bid.
- \*Final field measurements and hours will prevail on unit pricing listed above for final billing.
- \*All signage, barricades and traffic control by included.

**SCOPE OF WORK-**

- \*Mill the existing asphalt/concrete pavement to a depth of 3.0" and remove from site.
- \*Sweep clean free of all dust and debris.
- \*Determine partial depth or full depth repairs.
- \*Install single chip seal.
- \*Install ODOT #448-2 intermediate asphalt to a compacted thickness of 1.50"
- \*Apply ODOT #407 tack coat at a rate of .10 gal/sy.
- \*Install ODOT #448-1 surface asphalt to a compacted thickness of 1.50"
- \*Gutter seal all curbs and castings with ODOT Type IV sealer.

\*\*NOTE- All repairs are for estimating purposes only and may increase or decrease based on pavement evaluation after milling, and/or proof roll.

# PROPOSAL



## CROSSROADS ASPHALT RECYCLING, INC

13421 HAWKE ROAD  
 COLUMBIA STATION, OHIO 44028  
 Phone: 440-236-5066  
 Fax: 440-236-3506

<u>Quote To:</u>	City of Brook Park	<u>Job Name:</u>	Fry Road - Snow-Hummel
<u>Attention:</u>	Mr. Brian Beyer		3" Mill, Chip, Pave
			Alternate Full Depth Repairs
<u>Email:</u>	bbeyer@cityofbrookpark.com	<u>Date:</u>	5/13/2024
		<u>Proposal:</u>	2411051

City of Brook Park  
 2024 General Pavement Services

ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
10	Labor/Equipment/Trucking needed to Mill & Pave	1.00	HRLY	61,175.00	61,175.00
20	Single Chip Seal	4,196.00	SY	2.29	9,608.84
30	Asphalt Intermediate Course	185.00	CY	163.00	30,155.00
40	Asphalt Surface Course	185.00	CY	169.00	31,265.00
50	Tack Coat	410.00	GAL	3.80	1,558.00
60	ALT- Partial Depth Repair (Labor/Equipment/Trucks)		LF		
70	ALT- Partial Depth Asphalt Material		CY		
80	ALT- Full Depth Repair (Labor/Equipment/Trucks)	1.00	HRLY	29,675.00	29,675.00
90	ALT- Full Depth Asphalt Material	75.00	CY	138.00	10,350.00
<b>GRAND TOTAL</b>					<b>\$173,786.84</b>

**NOTES:**

- \*This proposal is a unit price bid.
- \*Final field measurements and hours will prevail on unit pricing listed above for final billing.
- \*All signage, barricades and traffic control by included.

**SCOPE OF WORK-**

- \*Mill the existing asphalt/concrete pavement to a depth of 3.0" and remove from site.
- \*Sweep clean free of all dust and debris.
- \*Determine partial depth or full depth repairs.
- \*Install single chip seal.
- \*Install ODOT #448-2 intermediate asphalt to a compacted thickness of 1.50"
- \*Apply ODOT #407 tack coat at a rate of .10 gal/sy.
- \*Install ODOT #448-1 surface asphalt to a compacted thickness of 1.50"
- \*Gutter seal all curbs and castings with ODOT Type IV sealer.

\*\*NOTE- All repairs are for estimating purposes only and may increase or decrease based on pavement evaluation after milling, and/or proof roll.



# PROPOSAL



## CROSSROADS ASPHALT RECYCLING, INC

13421 HAWKE ROAD  
 COLUMBIA STATION, OHIO 44028  
 Phone: 440-236-5066  
 Fax: 440-236-3506

<u>Quote To:</u>	City of Brook Park	<u>Job Name:</u>	Remora Blvd - Smith-Fry
<u>Attention:</u>	Mr. Brian Beyer		3" Mill, Chip, Pave
			Alternate Full Depth Repairs
<u>Email:</u>	bbeyer@cityofbrookpark.com	<u>Date:</u>	5/13/2024
		<u>Proposal:</u>	2411052

City of Brook Park  
 2024 General Pavement Services

ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
10	Labor/Equipment/Trucking needed to Mill & Pave	1.00	HRLY	77,125.00	77,125.00
20	Single Chip Seal	5,918.00	SY	2.29	13,552.22
30	Asphalt Intermediate Course	260.00	CY	163.00	42,380.00
40	Asphalt Surface Course	260.00	CY	169.00	43,940.00
50	Tack Coat	590.00	GAL	3.80	2,242.00
60	ALT- Partial Depth Repair (Labor/Equipment/Trucks)		LF		
70	ALT- Partial Depth Asphalt Material		CY		
80	ALT- Full Depth Repair (Labor/Equipment/Trucks)	1.00	HRLY	37,250.00	37,250.00
90	ALT- Full Depth Asphalt Material	150.00	CY	138.00	20,700.00
<b>GRAND TOTAL</b>					<b>\$237,189.22</b>

**NOTES:**

- \*This proposal is a unit price bid.
- \*Final field measurements and hours will prevail on unit pricing listed above for final billing.
- \*All signage, barricades and traffic control by included.

**SCOPE OF WORK-**

- \*Mill the existing asphalt/concrete pavement to a depth of 3.0" and remove from site.
- \*Sweep clean free of all dust and debris.
- \*Determine partial depth or full depth repairs.
- \*Install single chip seal.
- \*Install ODOT #448-2 intermediate asphalt to a compacted thickness of 1.50"
- \*Apply ODOT #407 tack coat at a rate of .10 gal/sy.
- \*Install ODOT #448-1 surface asphalt to a compacted thickness of 1.50"
- \*Gutter seal all curbs and castings with ODOT Type IV sealer.

\*\*NOTE- All repairs are for estimating purposes only and may increase or decrease based on pavement evaluation after milling, and/or proof roll.